


FIG. 1


FIG. 2


FIG. 3

FIG. 4A

NO	ATTRIBUTE INFORMATION		REMARKS
1	PRINT METHOD	SINGLE-SIDED / DOUBLE-SIDED / BOOKBINDING PRINTING	
2	PAPER SIZE	ORIGINAL SIZE / FIXED SIZE	<ul style="list-style-type: none"> • Z-FOLD IS DESIGNATED WHEN "A4 + A3", "B4 + B3", OR "LETTER + LEDGER (11 × 17)" IS DESIGNATED • ORIGINAL SIZE OF FIRST CHAPTER / PAGE IS AUTOMATICALLY SELECTED WHEN BOOKBINDING PRINTING OR N-up PRINTING IS DESIGNATED
3	PAPER DIRECTION	PORTRAIT / LANDSCAPE	<ul style="list-style-type: none"> • SELECTABLE ONLY FOR FIXED SIZE
4	BINDING MARGIN / BINDING DIRECTION		<ul style="list-style-type: none"> • SHIFT / ENLARGEMENT & REDUCTION CAN BE DESIGNATED
5	N-up PRINTING	NUMBER OF PAGES / LAYOUT ORDER / BOUNDARY / LAYOUT POSITION, etc.	<ul style="list-style-type: none"> • LAYOUT POSITION : NINE PATTERNS • X1 PRINTING CAN BE DESIGNATED
6	ENLARGEMENT / REDUCTION	ON / OFF	ON / OFF CAN BE AUTOMATICALLY DESIGNATED WHEN PAPER SIZE IS FIXED SIZE OR N-up PRINTING IS SELECTED
7	WATERMARK		<ul style="list-style-type: none"> • WATERMARK CAN BE DESIGNATED INDIVIDUALLY IN LOGICAL OR PHYSICAL PAGES • ALL CHAPTERS / PAGES ARE TARGETED

FIG. 4B

8	HEADER / FOOTER		<ul style="list-style-type: none"> • HEADER / FOOTER CAN BE DESIGNATED INDIVIDUALLY IN LOGICAL OR PHYSICAL PAGES • ALL CHAPTERS / PAGES ARE TARGETED
9	DELIVERY METHOD	STAPLING / PUNCH HOLE	<ul style="list-style-type: none"> • STAPLING / PUNCHING ONLY IN SINGLE- / DOUBLE-SIDED PRINTING • STAPLING AT ONE / TWO PORTIONS
10	DETAILS OF BOOKBINDING	OPENING DIRECTION / SADDLE STITCH / ENLARGEMENT & REDUCTION DESIGNATION / BINDING MARGIN / FASCICLE DESIGNATION, etc.	<ul style="list-style-type: none"> • ONLY IN BOOKBINDING PRINTING
11	FRONT / BACK COVER		<ul style="list-style-type: none"> • PRINTING IS DESIGNATED FOR 1/2 FRONT COVER OR 1/2 BACK COVER • FEED PORT (INCLUDING INSERTER) IS DESIGNATED
12	INDEX SHEET		<ul style="list-style-type: none"> • PRINTING OF CHARACTER STRING ON INDEX PORTION OR ANNOTATION ON INDEX SHEET CAN BE SET • BOOKBINDING PRINTING CANNOT BE DESIGNATED
13	SLIP SHEET		<ul style="list-style-type: none"> • FEED PORT (INCLUDING INSERTER) IS DESIGNATED • ORIGINAL DATA CAN BE PRINTED ON INSERTED PAPER • BOOKBINDING PRINTING CANNOT BE DESIGNATED
14	CHAPTERING	"NONE" / "PAGE BREAK" / "PAPER CHANGE"	<ul style="list-style-type: none"> • "PAPER CHANGE" IS FIXED WHEN INDEX SHEET OR SLIP SHEET IS DESIGNATED • "PAPER CHANGE" IN SINGLE-SIDED PRINTING

FIG. 5

NO	ATTRIBUTE INFORMATION	REMARKS
1	PAPER SIZE	<ul style="list-style-type: none"> • "PAPER CHANGE" IS AUTOMATICALLY DESIGNATED WHEN FIXED SIZE IS SELECTED • WHEN A PLURALITY OF PAPER SHEETS ARE SELECTED BY BOOK, PAPER SIZE CAN BE CHANGED TO ONLY DESIGNATED PAPER. PAPER SIZE CAN BE CHANGED EVEN WITH DESIGNATION COMPLYING WITH BOOK
2	PAPER DIRECTION	<ul style="list-style-type: none"> • SELECTABLE ONLY FOR FIXED SIZE
3	N-up PRINTING DESIGNATION	<ul style="list-style-type: none"> • LAYOUT POSITION : NINE PATTERNS • X1 PRINTING CAN BE DESIGNATED
4	ENLARGEMENT / REDUCTION	<ul style="list-style-type: none"> • ON / OFF CAN BE AUTOMATICALLY DESIGNATED WHEN PAPER SIZE IS FIXED SIZE OR N-up PRINTING IS SELECTED
5	WATERMARK	<ul style="list-style-type: none"> • WHETHER TO DISPLAY ALL WATERMARKS DESIGNATED BY BOOK IS DESIGNATED
6	HEADER / FOOTER	<ul style="list-style-type: none"> • WHETHER TO DISPLAY ALL HEADERS / FOOTERS DESIGNATED BY BOOK IS DESIGNATED
7	DELIVERY METHOD	<ul style="list-style-type: none"> • STAPLING CAN BE SET OFF WHEN STAPLING IS DESIGNATED BY BOOK • DEFAULT VALUE IS "ON"

FIG. 6

NO	ATTRIBUTE INFORMATION		REMARKS
1	PAGE ROTATION DESIGNATION		• 0°/90°/180°/270° CAN BE DESIGNATED
2	WATERMARK	DISPLAY / NON-DISPLAY	• WHETHER TO DISPLAY ALL WATERMARKS DESIGNATED BY BOOK IS DESIGNATED
3	HEADER / FOOTER	DISPLAY / NON-DISPLAY	• WHETHER TO DISPLAY ALL HEADERS / FOOTERS DESIGNATED BY BOOK IS DESIGNATED
4	ZOOM	50% - 200%	• MAGNIFICATION RELATIVE TO SIZE WHICH IS FIT IN VIRTUAL LOGICAL PAGE REGION AND SET AS 100% IS DESIGNATED
5	LAYOUT POSITION		• NINE FIXED PATTERNS AND ARBITRARY POSITION CAN BE DESIGNATED
6	ANNOTATION		
7	VARIABLE ITEM		
8	PAGE DIVISION		


FIG. 7

FIG. 8

800








NEW FILE 1-Ganon Office POD				      		
FILE(E)	EDIT(E)	VIEW(V)	PRINTING FORMAT(Q)	NSERT(I)	TOOLS(T)	HELP(H)
NUMBER OF DOCUMENTS : 0		TOTAL NUMBER OF PAGES : 0		TOTAL NUMBER OF PAPER SHEETS : 0		PAPER SIZE : UNDEFINED

FIG. 9





FIG. 10

12/29

FIG. 11




FIG. 12




FIG. 13




FIG. 14

1400

1401

1402

DETAILED SETTING FOR DOCUMENT

PAGE SETUP DECORATION EDIT PAPER SOURCE PRINTING QUALITY

PAPER SIZE : COMPLY WITH PAGE SIZE

☒ ZOOM PAPER

PAPER DIRECTION : ☒ PORTRAIT ☐ LANDSCAPE

PAGE LAYOUT : 1 PAGE/SHEET

ORDER : NONE

FRAME : NONE

☐ ZOOM AREA

ZOOM ARRANGE : CENTER

DEFAULT

OK CANCEL APPLY HELP

FIG. 15

1500

1501

1502

1503

DETAILED SETTING FOR CHAPTER

PAGE SETUP DECORATION EDIT PAPER SOURCE

☒ FOLLOW DOCUMENT ATTRIBUTE

PAPER SIZE : COMPLY WITH PAGE SIZE

☒ ZOOM PAPER

PAPER DIRECTION : ☒ PORTRAIT ☐ LANDSCAPE

☒ FOLLOW DOCUMENT ATTRIBUTE

PAGE LAYOUT : 1 PAGE/SHEET

ORDER : NONE

FRAME : NONE

☒ FOLLOW DOCUMENT ATTRIBUTE

☐ ZOOM AREA

ZOOM ARRANGE : CENTER

DEFAULT

OK CANCEL APPLY HELP

FIG. 16

1500

DETAILED SETTING FOR CHAPTER

PAGE SETUP DECORATION EDIT PAPER SOURCE

1501 ☐ FOLLOW DOCUMENT ATTRIBUTE

PAPER SIZE: A4

☒ ZOOM PAPER

PAPER DIRECTION: ☒ PORTRAIT ☐ LANDSCAPE

1502 ☐ FOLLOW DOCUMENT ATTRIBUTE

PAGE LAYOUT: 4 PAGES/SHEET

ORDER: FROM UPPER LEFT

FRAME: NONE

1503 ☒ FOLLOW DOCUMENT ATTRIBUTE

☐ ZOOM AREA

ZOOM ARRANGE: CENTER

DEFAULT

OK CANCEL APPLY HELP

FIG. 17

1700

1701

DETAILED SETTING FOR PAGE

PAGE SETUP EDIT

ROTATE PAGE : ☒ 0° ▼

☒ FOLLOW CHAPTER ATTRIBUTE

☐ NO ZOOM

☐ ARBITRARILY ZOOM : 100 % (50 to 200)

ZOOM ARRANGE : ☐ CENTER ▼ SET POSITION...

DEFAULT

OK CANCEL APPLY HELP

FIG. 18

1700

1701

DETAILED SETTING FOR PAGE

PAGE SETUP EDIT

ROTATE PAGE: ☐ 270° ☐

☒ FOLLOW CHAPTER ATTRIBUTE

☐ NO ZOOM

☐ ARBITRARILY ZOOM: % (50 to 200)

ZOOM ARRANGE: ☐ CENTER ☐ SET POSITION...

DEFAULT

OK CANCEL APPLY HELP

FIG. 19





FIG. 20A



FIG. 20B

FIG. 21

DETAILED SETTING FOR DOCUMENT ? ×

PAGE SETUP DECORATION EDIT PAPER SOURCE PRINTING QUALITY

PRINTING METHOD(Y) :  ☐ SINGLE-SIDED PRINTING
☒ DOUBLE-SIDED PRINTING
☐ BOOKBINDING PRINTING

BINDING DIRECTION(B) : BIND ALONG LONG SIDE (LEFT) ▼

BINDING WIDTH(G) : 0 ▲ ▼ %(0~30)

ADJUST ORIGINAL(J) : ☒ REDUCE IN ACCORDANCE WITH PRINTING REGION
☐ MOVE IN ACCORDANCE WITH BINDING WIDTH

DESIGNATE STAPLING(S) : NONE ▼

STAPLING POSITION(L) : ☐ UPPER LEFT (ONE PORTION) ▼

☐ PUNCH HOLE(N) :
☒ Z-FOLD(Z) :

CHAPTERING(X) : NONE ▼

DEFAULT

OK CANCEL APPLY HELP

FIG. 22





FIG. 23

The image shows a software dialog box titled "DETAILED SETTING FOR CHAPTER". It has a standard Windows-style title bar with a question mark icon and a close button (X). Below the title bar is a tabbed interface with five tabs: "PAGE SETUP", "DECORATION", "EDIT", "PAPER SOURCE", and "PRINTING QUALITY". The "PRINTING QUALITY" tab is currently selected. Inside this tab, there is a checked checkbox labeled "FOLLOWING ITEM IS DIFFERENT FROM THAT OF DOCUMENT PRINTING METHOD(Y) :". To the right of this text is a small icon of a document with a checkmark. Below this, there are two radio button options: "SINGLE-SIDED PRINTING" (which is selected) and "DOUBLE-SIDED PRINTING". A leader line points from the label "2301" to the "SINGLE-SIDED PRINTING" radio button. Below these options, there is another unchecked checkbox labeled "STAPLING(S)". At the bottom right of the dialog box, there is a "DEFAULT" button. At the very bottom, there is a row of four buttons: "OK", "CANCEL", "APPLY", and "HELP".

DETAILED SETTING FOR CHAPTER

PAGE SETUP DECORATION EDIT PAPER SOURCE PRINTING QUALITY

☒ FOLLOWING ITEM IS DIFFERENT FROM THAT OF DOCUMENT PRINTING METHOD(Y) :

 ☒ SINGLE-SIDED PRINTING 2301
☐ DOUBLE-SIDED PRINTING

☐ STAPLING(S)

DEFAULT

OK CANCEL APPLY HELP

FIG. 24





FIG. 25

FIG. 26




FIG. 27**PRINTING SETTINGS**